

**WARNING HARMFUL**  
KEEP OUT OF REACH OF CHILDREN

# GELSEAL

Pruning wound treatment for use on pipfruit, summerfruit, grape vines and ornamentals to prevent fungal infection.



**10L**

Active ingredient: Contains 15 g/litre tebuconazole and 15 g/litre boric acid in the form of an oil in water emulsion (EW)

Batch:

DOM:



Registered to:  
Omnia Primaxa Ltd. T/A Omnia  
Freephone 0800 774 629  
www.omnia.net.nz  
PO Box 201041  
Auckland Airport, Manukau 2150

IN A TRANSPORT EMERGENCY: DIAL 111. In case of emergency, phone 0800 243 622 or 0800 CHEMCALL



**READ THE LABEL CAREFULLY BEFORE USING GELSEAL**

Active ingredient: Contains 15 g/litre tebuconazole and 15 g/litre boric acid in the form of an oil in water emulsion (EW)



HSNO CLASS: 6.3B, 6.8B, 6.9B, 9.1D

**TOXICITY:**

- HARMFUL: May cause skin irritation.
- HARMFUL: May cause reproductive/development damage from repeated oral exposure.
- HARMFUL: May cause organ damage from repeated oral exposure at high doses.

**ECOTOXICITY:**

- HARMFUL to aquatic organisms. Avoid contamination of any water supply with product or empty container.

**PRECAUTIONS:**

- KEEP OUT OF REACH OF CHILDREN.
- When mixing or applying GELSEAL wear protective clothing such as impervious gloves and face protection to avoid contact with skin and eyes, and inhalation of spray mist.
- **Do not eat, drink or smoke** while using.
- Wash hands and face thoroughly after use and before eating or drinking.

**STORAGE:**

- Store in original container, tightly closed and in a locked, dry, cool, well ventilated area away from foodstuffs, feeds, seeds, fertilisers, insecticides, or fungicides used for protection of crops.
- Storage must be in accordance with the current version of NZS 8409 Management of Agrichemicals.

**SHELF LIFE:**

- When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

**SPILLAGE:**

- Wear appropriate protective clothing and prevent material from entering waterways. Absorb spills with inert material and place in waste container. Wash area with water and absorb with further inert material. Dispose of waste safely (such as suitable landfill).

**DISPOSAL:**

- Triple rinse container and add residue to application container where possible. Recycle or alternatively crush and bury empty container in a suitable landfill.
- Avoid contamination of any water supply with chemical or empty container.

**FIRST AID:**

If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin contact occurs, remove contaminated clothing and flush skin with running water. If splashed in eyes, wash out immediately with water.

**DIRECTIONS FOR USE:**

Mode of action: GELSEAL is designed to protect pruning wounds from fungal invasion by giving the host time to develop internal barriers to pathogen invasion.

**Application general:**

- Apply only to pruning wounds made during the dormant period before the commencement of sap flow.
- Do not apply to crops during the fruit bearing stage of the season.
- Diseases controlled include Silver leaf on pip and stonefruit (*Chondrostereum purpureum*) and *Eutypa* dieback of grape vines (*Eutypa lata*).
- GELSEAL can be applied by brush or by spray application and can be diluted with water depending upon the application method and host.
- GELSEAL is rapidly absorbed within one hour of application so rainfall following application is not critical.
- Note that GELSEAL will not promote extensive callus formation and is therefore unsuitable for grafting.

**Application Pipfruit and Summerfruit:**

- Dilute GELSEAL with water using 1 part water to 2 parts GELSEAL and paint onto pruning wounds.

**Application Grape Vines and Ornamentals:**

- Paint large wounds with undiluted product or with product diluted with 1 part water to 2 parts GELSEAL.
- For spray application to small wounds on vine arms dilute product with 1 part GELSEAL to 8 parts water (125 ml GELSEAL per litre of water) and apply to freshly made wounds on the same day as pruning using a pressurized backpack sprayer **ensuring complete coverage of wounds.**

**CONDITIONS OF SALE:** The use of GELSEAL being beyond the control of the suppliers, no warranty expressed or implied is given by Omnia, regarding its suitability, fitness or efficiency for any purpose for which it is used by the buyer, whether in accordance with the directions or not and Omnia accept no responsibility whatsoever resulting from the use of this product.

Registered pursuant to the ACVM Act 1997: P7911. <http://eatsafe.nzfsa.govt.nz/web/public/acvm-register> for registration conditions. Approved pursuant to the HSNO Act 1996, approval code HSR007920. See [www.ermanz.govt.nz/search-databases/Pages/controls-search.aspx](http://www.ermanz.govt.nz/search-databases/Pages/controls-search.aspx) for controls applying to the substance.

